

HTTP-Request Shelly BULB

HTTP-Request Shelly BULB

HTTP-Request with Original-Firmware:

Enter in the address bar of the browser:

Mode: COLOR

- switch **ShellyBULB** ON: <http://192.168.xxx.xxx/color/0?turn=on>
- switch **ShellyBULB** OFF: <http://192.168.xxx.xxx/color/0?turn=off>
- switch **ShellyBULB** TOGGLE: <http://192.168.xxx.xxx/color/0?turn=toggle>
- switch **ShellyBULB** ON with Timer in s: <http://192.168.0.50/color/0?turn=on&white=20>
- switch **ShellyBULB** OFF with Timer in s: <http://192.168.0.50/color/0?turn=on&white=20>
- switch **ShellyBULB** ON and set color Red, Green, Blue in respective intensity:

<http://192.168.xxx.xxx/color/0?turn=on&red=255&green=86&blue=112>

- switch **ShellyBULB** ON and intensity in %: <http://192.168.0.50/color/0?turn=on&white=20>

Mode: WHITE

- switch **ShellyBULB** ON and set brightness in %: <http://192.168.0.50/color/0?turn=on&white=20>
- **ShellyBULB** set brightness in %: <http://192.168.0.50/color/0?turn=on&white=20>
- switch **ShellyBULB** ON with Timer in s: <http://192.168.0.50/color/0?turn=on&white=20>
- switch **ShellyBULB** OFF with Timer in s: <http://192.168.0.50/color/0?turn=on&white=20>

If an **authorization** is required:

- switch **ShellyBULB** ON: <http://user:pass@192.168.xxx.xxx/color/0?turn=on>
- user: user name to adjust
- pass: password to adjust

The IP address must of course be adapted to the home network and the respective Shelly device.